Dart Aerospace Ltd. Friday, 12/21/2007 7:27:22 AM User Kim Johnston **Process Sheet Drawing Name** : STRUT Customer : CU-DAR001 Dart Helicopters Services Job Number : 36511 **Estimate Number** 10954 : NA Part Number : D2562013 P.O. Number D2562 REV D : 12/21/2007 **Drawing Number** This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB Type First Issue **Drawing Revision** :NA : 36365 **Material** Previous Run : 1/20/2008 Due Date Qty: 10 Um: Written By Checked & Approved By .05.05.18 Comment : Est A New Issue KJ/JLM∽ **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 304 RD Tube .500 x .035W M304TR0500W035 1.0 Comment: Qty.: 2.4062 f(s)/Unit Total: 24.0618 f(s) 304/316/318-2B Seamless Tubing, 1/2" O.D. x 0.035" wall Batch M 2.0 BRAKE NC NC BRAKE Comment: NC BRAKE Punch to length as per Dwg D2562 3.0 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL/MED FAB RESOURCE 1- Bend end as per Dwg D2562 Angle "D" 2- Deburr 4.0 QC5 Comment: INSPECT WORK TO CURRENT/STEP POWDER COATING

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3

Each

(0

lo

Daπ Ae	rospace	e Lta									
W/O:		WORK ORDER CHANGES									
DATE	STEP	·	PROCEDURE CHANGE	E	By Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
-,		· · · · · · · · · · · · · · · · · · ·					1				
							<u> </u>				
				*							
Part No:		PAR #:	Fault Category:	NCR:	Yes No D	QA:	Date:	delouls			
					QA: N/C Clos						
NCR:			WORK ORDER NON-COI	NFORMANCE (	NCR)						
		Description of NC	Corrective Action	on Section B	Vori	fication	A	A = = = = = 1			

DATE	STEP	Description of NC	Corrective Action Section B			Verification	<b>A</b>	
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto
		*						
		*				3		

NOTE: Date & initial all entries

Friday, 12/21/2007 7:27:22 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: STRUT Customer: CU-DAR001 Dart Helicopters Services Job Number: 36511 Part Number: D2562013 Job Number: Seq. #: Description: Machine Or Operation: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE Le 28101.15 Job Completion

Dart Ae	rospace	e Lta									
W/O:		WORK ORDER CHANGES									
DATE	STEP		Pl	ROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
		猪									
7			*								
								-			
Part No		. <u>.</u>	PAR #:	Fault Category:	£	NCR: Ye	s No DQ	A:	Date: _		
				a.		QA	: N/C Close	d:	Date: _		
NCR:		. ~	4	WORK ORDER NON-	CONFORM	ANCE (NO	CR)				
		Descri	ntion of NC	Corrective	Action Sec	tion B	Vorifi		A	A	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE	STEP	Description of NC		Verification						
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
	4									
							- 2.0			
			7							
		*		8						
		•		ē.						
					*					
							6			
					. 1					
							1			

NOTE: Date & initial all entries

H.S DOCUMENT IS ANGLE D COPYTIGHT (© 1996 by DART AEROSPACE LTD)

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. A 12.50.50 RELEASE CHECKED DESIGN DATE S TO BE OPENED O 0  $\varpi$ MANUALLY  $\rightarrow$ . 05 유 .\_ 8 PUNCH ENDS PER SPEC CONTROL DRAWING 垂 DRAWN BY APPROVED 02.06.05 98.10.15 **PART** 05.05.18 DIM Α DIM В DIA C **ANG** 96.05.01 D D2562-001 19.68 20.48 10 D2562 -003 20.37 21.17 18 D2562 005 29.00 29.80 30 \_\_\_ DRAWING NO. STRUT D2562--007 19.22 20.02 ADD ADD NEW ISSUE 0 UPDATED \_\_ UNCONTROLLED COPY, SUBJECT TO AMENDMENT, -007, -005; D2562--011 25.79 26.59 16 DART SHOP COPY D2562-013 ENGINEERING 26.63 27.43 24 WITHOUT NOTICE RETURN TO MATERIAL RT AEROSPACE L '-011/-013; ADO FINISH NOTE ANY PURPOSE OR **GENERAL** UPDATE (TSR 1) MATERIAL: AISI 304/316/318 SS 0.500 OD X 0.035 WALL (REF DART SPEC. M304TR0.500W.035) ENSURE' SEAMLESS TUBE IS USED i E EEE SHEET A603) 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 COPIED -005 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED \_\_ 유 REV. 4) ALL DIMENSIONS ARE IN INCHES SCALE